

PROOF OF IMMUNIZATION COMPLIANCE

(Louisiana R.S. 17:170 Schools of Higher Learning)

	*All information must be completed in English. Please print.				
must ete	Name:		Middle		
Student must complete	Address:				
	UNIVERSITY REQUIRED IMMUNIZATIONS Physician or Other Health Care Provider Verification (See other side)				
other health care provider completes	M-M-R (Measles, Mumps, Rubella - 2 Doses required)		Tetanus-Diphtheria (Td)		
	First Dose:(Date)	OR Serologic Test:(Date)	(Date within 10 years)		
	Second Dose:(Date)	Result:OR Born before 1956			
	Meningococcal vaccine (One dose – preferably at entry into college) Quadrivalent vaccine (A, C, Y, W-135) Date: Vaccine Type:				
	PLEASE DO NOT SIGN THIS COMPLIANCE FORM UNLESS THE STUDENT HAS PROPER VACCINES OR IMMUNE TESTS.				
er h	(Signature of Physician or Other Health Care Provider) (Date)		Please print office address or stamp here		
or	UNIVERSITY RECOMMENDED IMMUNIZATIONS Physician or Other Health Care Provider Verification				
Physician	Hepatitis B Vaccine	Tuberculosis Test			
Ph	First Dose:(Date)	PPD (Mantoux) within the past 12 months (tine or monovac not acceptable) Date given: Date read:			
	Second Dose:(Date) Third Dose:(Date)	*If PPD is positive, chest X-ray result: Normal Abnormal			

RETURN THIS FORM TO: THOMASON HEALTH CENTER
SOUTHEASTERN LOUISIANA UNIVERSITY
SLU 10734, HAMMOND, LA 70402

SLU 10734, HAMMOND, LA 70402 985-549-2241 / FAX: 985-549-2093 REMEMBER!
YOU WILL NOT BE PERMITTED TO
REGISTER UNTIL YOU COMPLETE
AND RETURN THIS FORM.

IMMUNIZATION REQUIREMENTS

Two (2) doses of measles vaccine; at least one (1) dose each of rubella and mumps vaccine; and a tetanus-diphtheria booster (AT LEAST 10 YEARS CURRENT)

Measles Requirement:

Two (2) doses of live vaccine given at any age, except that the vaccine must have been given on or after the first birthday, in 1968 or later, and without Immune Globulin. A second dose of measles vaccine must meet this same requirement, but should not have been given within 30 days of the first dose. A history of physician-diagnosed measles is acceptable for establishing immunity, but should be accepted with caution unless you were the diagnosing physician.

Tetanus-Diphtheria Requirement:

A booster dose of vaccine given within the past ten (10) years. Students can be considered to have completed a primary series earlier in life, unless they state otherwise.

This vaccination is available at University Health Services for a nominal fee.

Meningitis Requirement:

One (1) dose of Menomune(r) or Menactra(tm) (MCV4) preferably at entrance to college.

Meningococcal disease is a serious disease that affects the brain and spinal cord. The disease is spread through droplet transmission from the nose or throat, such as sneezing or coughing, and direct contact with oral secretions of and infected individual. This includes such things as kissing, sharing drinks, food, utensils, cigarettes, lip balm or any object that has been in someone else's mouth. Because meningitis is a grave illness and can rapidly progress to death, it requires early diagnosis and treatment. This is often difficult because the symptoms closely resemble those of the flu and the highest incidence of meningitis occurs during late winter and early spring (flu-season). When not fatal, meningitis can lead to permanent disabilities such as hearing loss, brain damage or loss of limbs.

The U.S. Centers for Disease Control and Prevention (CDC) and the American College Health Association (ACHA) recommend that college students, particularly freshmen living in dormitories, are at a greater risk for meningitis than the general population. Behavior and social aspects of college lifestyle activities such as living in dormitories, bar patronage, smoking, and irregular sleep habits put these students at greater risk.

Two meningococcal vaccines are available in the US-Menomune(r) (MPSV4) and Menactra(tm) (MCV4). The vaccinations are effective against 4 of the 5 most common bacterial types that cause 70% of the disease in the U.S. (but does not protect against all types of meningitis-DOES NOT COVER Group B serotype). Vaccinations take 7-10 days to become effective, with possible protection lasting 3-5 years. As with any vaccine, vaccination may not protect 100% of all susceptible individuals.

Who should not get the vaccine: People who have had Guillain-Barré Syndrome; over 55 years old; pregnant or suspect that you may be; allergic to thimerosal, a substance found in several vaccines; have an acute illness, with fever (101°F or higher).

Reactions to the vaccine may include pain, redness, and induration at the site of injection, headache, fatigue, and malaise. The vaccine is contraindicated in persons with known hypersensitivity to any component of the vaccine or to latex, which is used in the vial stopper. Because of the risk of injection site hemorrhage, the vaccine should not be given to persons with any bleeding disorder or to persons on anticoagulant therapy unless the potential benefit clearly outweighs the risk of administration. A few cases of Guillain-Barré Syndrome, a serious nervous system disorder, have been reported among people who received the vaccine. As with any vaccine, there is a possibility of an allergic reaction.

This vaccination is available at University Health Services (limited supply), private physician offices, and Health Units. Cost of vaccine varies.

Request for Exemption-MM						
Request for Exemption-Meningococcal Immunization						
(Please check appropriate sp	ace below if requesting exemptions)					
Medical Reasons (P	hysician's Statement Required)	Personal Reasons (State reason	in space provided)			
Religious						
		ons, I may be excluded from campus and fron submit proof of immunization. If I am not 18				
I have read the above information	· .	or meningitis and have chosen to sign this wa				
		ningitis and Southeastern Louisiana University, is while I am enrolled. If I am not 18 years of				
Student Signature						